



HO-RI-SR10
铝制壁挂式
黑色或白色可选

BZ5



三分频全频扬声器

- 功率 (AES): 80 W / 8
- 频率响应 (-6dB): 90 Hz - 20 KHz
- 灵敏度: 88 dB / 1W @1m
- 最大声压级: 107 dB
- 覆盖角度(-6dB): 100° H (水平) x 60° V (垂直)
- 低频: 1 x 5' '
- 中频: 1 x 3' '
- 高频: 1 x 0.25' '
- 连接: 2 Spk NL4 或 Phoenix 4 pts
- 吊点: 1x M10(支架)
2 x M6 (用于壁挂)
1 x M6 (用于安全链)
- 12 mm 波罗海桦木
- 聚氨酯漆喷漆
- 尺寸: H452 x D288 x W154 mm 重量 5,15 kg



根据要求：
白色或 RAL
BZ5/6的颜色。





可以摆放在理想位置或与墙壁平行用作
监听扬声器.



BZ5/6


HO-RI-SR10
铝制壁挂式
有黑色或白色可选

BZ6


三分频全频扬声器

- 功率 (AES): 100 W / 8
- 频率响应 (-6dB): 75 Hz - 20 KHz
- 灵敏度: 91 dB / 1W@1m
- 最大声压级: 109 dB
- 覆盖角度(-6dB): 100° H (水平) x 60° V (垂直)
- 低频: 1x 6' '
- 中频: 2x 3' '
- 高频: 1x 0.25' '
- 连接: 2 Spk NL4 或 Phoenix 4 pts
- 吊点: 1x M10(支架)
2 x M6 (用于壁挂)
1 x M6 (用于安全链)
- 12 mm 波罗海桦木
- 聚氨酯漆喷漆
- 尺寸: H452 x D288 x W154 mm 重量 5,15 kg








BZ6 - 水平覆盖角度



BZ6 - 垂直覆盖角度



BZ 系列配件



用于固定2个BZ系列的套件

- 1个耦合板
- 2个固定支架
- 2个M10环
- 2个M10螺钉
- 4个固定支架螺钉

